



PRODUCT NUMBER: 4503000
SPACEL 3000 RA / EBJ

Liquid tight coverall designed to protect workers from chemicals. Its new ergonomics offer a better fitting and protection. Model with elasticated wrists and ankles; double adhesive flap and welded zipper.

Honeywell

Overview

Reference Number

4503000

Product Type

Protective Clothing

Range

Disposable Clothing

Line

Disposable

Brand

Honeywell

Industry

- Chemical Industries
- General Industry
- Industrial Cleaning
- Maintenance
- Medical and Pharmaceutical
- Offshore
- Petro-chemical
- Utilities

Product Use

Chemistry, petrochemistry, in-shore/off-shore oil industry, industrial maintenance, pharmaceutical industry, spoiled beach cleaning, transportation of hazardous materials, industrial sub-contracting cleaning, sanitation, waste processing, emergency services.

Features & Benefits

Feature

Enhanced protection

Benefit

Double adhesive flap Welded zipper Very good abrasion, tear and puncture resistance Watertight due to "Spaseal" welding, an exclusive Honeywell Safety Product process

Feature

Ergonomics

Benefit

New design for better comfort and safety Raw material elongation up to 400% Elasticated hood, waist, wrists and ankles

Feature

Double adhesive flap Sealed zipper

Benefit

Ensures safety

Feature

Long bust, arms, and legs

Benefit

Ensures safety

Feature

Yellow colour

Benefit

better visibility

Technical Description

Description

Three-layered yellow polyethylene film

Gender

Unisex

Size

From S to XXXL - International size

Table Size

Table size

Color

Yellow

Thickness

100µ

Composition

Three-layered yellow polyethylene film

Type of Protection

• 3 • 4 • 5 • 6b

Performance

Excellent liquid resistance High chemical resistance Elongation up to 400% Double adhesive flap

Limitation of use

This product is a single use garment. The user can wear this garment in association with other equipments (shoes, gloves, glasses, masks...). Do not use the overalls when there is a defect. When the closing system is faulty, the seams open or any other defects which appear.

Warning

The choice and use of personal protective equipment must comply with the European Directive No. 89/656/CEE of 30/11/1989. The employer must have previously analyzed and assessed the risks linked to intervention and to those generated by the use of the personal protective equipment selected.

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

EC Certificate Number

03310347

EC Attestation

 EC Attestation

EC Attestation Number

03310347

Additional Information

User Manual

Spacel 3000 and 4000 User guide - indice f - 15 October 2012

Maintenance

Life Cycle

Disposable item. To be discarded after use. Do not reuse this item.

Storage Information

-10°C to + 40°C in its original packaging and carton, optimal product use is ensured 3 years after manufacturing.

Care Instructions

To be discarded after use.

Packaging

Quantity per Carton

25 pcs



In application of the directive 89/686/EEG of 21 December 1989 concerning the harmonisation of the Member States legislation relative to personal protective equipment, Centexbel Notified body 0493 authorised by decree AV/OA235/ST dated 94-05-25 of the Ministry of Employment and Labour has issued

CE TYPE EXAMINATION CERTIFICATE

Nr. 033/2015/1202

This CE Type examination certificate is valid until 19 Nov 2020

to: **Honeywell Protective Clothing, Bagnols-sur-Cèze**

for: **Coverall Spacel 3000 RA EBJ (C) and Spacel 3000 RA GC PS (C)**

The personal protective equipment above mentioned satisfies the applicable essential safety requirements of the Directive.


For the argumentation, the following standards are used:

EN 13034:2005+A1:2009	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 and Type PB[6])
EN ISO 13982-1:2004+A1:2010	Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates (type 5 clothing)
EN 14605:2005+A1:2009	Protective clothing against liquid chemicals - performance requirements for clothing with liquid-tight (Type 3) or spraytight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])
EN 14126:2003	Protective clothing - Performance requirements and tests methods for protective clothing against infective agents
EN ISO 13688:2013	Protective clothing - General requirements

This is PPE of category III, subject to regular checks in accordance with article 11 of the European PPE directive. In agreement with the manufacturer's choice audits shall be carried out to assess the quality control system (art.11B). The manufacturer must be able, on request, to present the audit report. A first audit shall be performed at the latest on 31 Dec 2016 and at least be repeated with intervals of one year.

This declaration applies to the equipment as submitted in the type testing and described in the manufacturer's technical file that is registered with number 4137_1.

Issued by Centexbel, Notified Body 0493^(*), in Ghent, on 19 Nov 2015


Inge De Witte
Certification Manager
Attached: 1 Annex

^{*)}Recognized by decree AV/OA235/ST of 94-05-25 of the Ministry of Labor and Employment



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: SPACEL 3000 RA / EBJ

Reference: 4503000

Standard(s): EN 14605, EN 340, EN13034 Type 6

This PPE is the object of the below EC examination certificate n°:

03310347

Delivered by:

CENTEXBEL

Technologie Park

79052

ZWIJNAARDE

Belgium

Drawn up in Roissy, on the 04/11/2016

By: Céline Moreau

Division: Protective Clothing

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com