



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : **LOGLIFE HOSPITAL**
UFI : **YVH3-605M-W00D-SC9D**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : **Care product / Polish**

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : **Tana Chemie GmbH**
Rheinallee 96
55120 Mainz
Telephone : **+49613196403**
Telefax : **+4961319642414**
E-mail address : **Produktsicherheit@werner-mertz.com**
Responsible/issuing person
Contact person : **Product development / product safety**

1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4-
isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-
239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

No information available.



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1; H317 M-Factor (Acute aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 ≥ 0,05 % Skin Irrit. 2; H315 ≥ 10 % Eye Dam. 1; H318 ≥ 3 % Eye Irrit. 2; H319 1 - < 3 % Aquatic Acute 1; H400 ≥ 25 % Aquatic Chronic 2; H411 ≥ 25 % Aquatic Chronic 3; H412 2,5 - < 25 % Acute toxicity estimate Acute oral toxicity: 500,0 mg/kg	≥ 0,0025 - < 0,025
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3	55965-84-9 613-167-00-5	Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1C; H314 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	≥ 0,0002 - < 0,0015



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

		<p>specific concentration limit Skin Corr. 1B; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1; H317 >= 0,0015 %</p> <hr/> <p>Acute toxicity estimate</p> <p>Acute oral toxicity: 100,0 mg/kg Acute dermal toxicity: 300 mg/kg</p>	
--	--	--	--

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
No special handling advice required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed. Protect from frost.

7.3 Specific end use(s)

Specific use(s) : Care product / Polish

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : not required under normal use

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

Respiratory protection : not required under normal use

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : white

Odour : very faint

Odour Threshold : No data available

pH : ca. 8,4, 100 %
at 20 °C

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1,022 g/cm³ at 20 °C

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Ignition temperature : No data available

Thermal decomposition : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Acute toxicity : Not Rated

Components:

1,2-benzisothiazol-3(2H)-one

BENZISOTHIAZOLINONE:

Acute oral toxicity : LD50 (Rat): 1.150 mg/kg

Acute toxicity estimate: 500,0 mg/kg
Method: Converted acute toxicity point estimate

LD50 (Rat): 1.193 mg/kg

LD50 (Rat, male and female): 784 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Rat): 490 mg/kg



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

- Acute inhalation toxicity : LC50 (Rat): 0,25 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- LC50 (Rat): 0,5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPPTS 870.1300
GLP: yes
- Acute dermal toxicity : LD50 (Rat): 4.115 mg/kg
- LD50 (Rat, male and female): > 2.000 mg/kg
GLP: yes
- LD50 Dermal (Rabbit): > 2.000 mg/kg

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3

55965-84-9:

- Acute oral toxicity : Acute toxicity estimate: 100,0 mg/kg
Method: Converted acute toxicity point estimate
- LD50 (Rat): 64 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): 0,171 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- LC50 (Rat): 0,17 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rabbit): 92,4 mg/kg
- Acute toxicity estimate: 300 mg/kg
Method: Converted acute toxicity point estimate
- LD50 Dermal (Rat): 87 mg/kg

Skin corrosion/irritation

Product:

- Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

1,2-benzisothiazol-3(2H)-one

BENZISOTHIAZOLINONE:

- Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Components:

1,2-benzisothiazol-3(2H)-one

BENZISOTHIAZOLINONE:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Causes serious eye damage.

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

1,2-benzisothiazol-3(2H)-one

BENZISOTHIAZOLINONE:

Exposure routes : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Exposure routes : Dermal
Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3

55965-84-9:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

BENZISOTHIAZOLINONE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 16,0 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,18 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes

LC50 (Cyprinodon variegatus (sheepshead minnow)): ca. 16,7 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
GLP: yes

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,21 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 215

NOEC (Oncorhynchus mykiss (rainbow trout)): 2,1 mg/l
Exposure time: 28 d

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 32,7 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 2,94 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202



LONGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

GLP: yes

EC0 (Daphnia magna (Water flea)): 0,643 mg/l

Exposure time: 48 h

Test Type: static test

Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

EC50 (Mysidopsis bahia (opossum shrimp)): 0,9893 mg/l

Exposure time: 96 h

Test Type: static test

Analytical monitoring: yes

GLP: yes

NOEC (Daphnia (water flea)): 1,02 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

NOEC (Daphnia (water flea)): 12 mg/l

Exposure time: 21 d

Toxicity to algae/aquatic plants

: EC10 (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,11 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Selenastrum capricornutum (green algae)): 1,1 mg/l

Exposure time: 72 h

Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0,04 mg/l

Exposure time: 72 h

Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

EC100 (Pseudokirchneriella subcapitata (green algae)): 0,067 mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,4 mg/l

Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,11 mg/l



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0,027 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC20 (activated sludge): 3,3 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

EC50 (activated sludge): 13 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,21 mg/l
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,2 mg/l
Exposure time: 21 d
Species: Daphnia (water flea)
Method: OECD Test Guideline 211

55965-84-9:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 14,8 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,188 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,22 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,098 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 8 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0,126 mg/l
Exposure time: 48 h

EC50 (Daphnia (water flea)): 0,1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

(Daphnia (water flea)): 0,004 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

		EC50 (<i>Daphnia magna</i> (Water flea)): 0,16 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (<i>Selenastrum capricornutum</i> (green algae)): 1,67 mg/l Exposure time: 72 h
		EC50 (<i>Selenastrum capricornutum</i> (green algae)): 0,027 mg/l Exposure time: 72 h
		EC50 (<i>Skeletonema costatum</i> (marine diatom)): 0,0052 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
		NOEC (<i>Skeletonema costatum</i> (marine diatom)): 0,00064 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
		NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 0,0012 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 0,048 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (<i>Skeletonema costatum</i> (marine diatom)): 0,0052 mg/l Exposure time: 48 h Method: ISO 10253
		NOEC (<i>Skeletonema costatum</i> (marine diatom)): 0,00064 mg/l Exposure time: 48 h Method: ISO 10253
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to microorganisms	:	EC20 (activated sludge): 0,97 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
		EC50 (activated sludge): 7,92 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	0,098 mg/l Exposure time: 28 d Species: <i>Oncorhynchus mykiss</i> (rainbow trout) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,004 mg/l Species: <i>Daphnia magna</i> (Water flea) Method: OECD Test Guideline 211



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

M-Factor (Chronic aquatic toxicity) : 100

12.2 Persistence and degradability

Components:

BENZISOTHIAZOLINONE:

Biodegradability : Test Type: Primary biodegradation
Result: Biodegradable
Biodegradation: > 90 %
Method: see user defined free text

55965-84-9:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD 301 D

Inoculum: activated sludge
Biodegradation: > 80 %
Method: OECD Test Guideline 303A
Remarks: Expected to be biodegradable

12.3 Bioaccumulative potential

Components:

BENZISOTHIAZOLINONE:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 6,95
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 0,4

55965-84-9:

Bioaccumulation : Bioconcentration factor (BCF): 3,6

Partition coefficient: n-octanol/water : log Pow: -0,71 - 0,75
Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Components:

BENZISOTHIAZOLINONE:

Assessment : This substance is not considered to be very persistent and



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

55965-84-9:

Assessment

: This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information

: There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: In accordance with local and national regulations.

Contaminated packaging

: Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: Not applicable
: Organic Substances: : portionClass 1: 0,02 %
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Update: Percent volatile: 4,54 %
173,71 g/l
VOC content excluding water

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

(VOC) content (integrated pollution prevention and control)
Update: Percent volatile: 4,54 %
46,49 g/l
VOC content valid only for coating materials used on wood surfaces

according to Detergents : <5% Non-ionic surfactants, PHENOXYETHANOL,
Regulation EC 648/2004 BENZISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE,
METHYLISOTHIAZOLINONE

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H310 : Fatal in contact with skin.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H330 : Fatal if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways;
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC -
Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body
weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -
Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation;
DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European
Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x%
response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -
Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good
Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport
Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous
Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;
IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods;
IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International
Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50
% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -
International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -
No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No
Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for



LOGLIFE HOSPITAL

WM 0716038

Order number: 0716038

Version 1.8

Revision Date 08.04.2023

Print Date 27.06.2023

Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

500000005655